

Burkina Faso - Enquête Nutritionnelle Nationale (ENN) Burkina Faso 2019

Direction de la Nutrition

Rapport généré le: July 6, 2021

Vous pouvez consulter notre catalogue de données sur: <https://nada.insd.bf/index.php>

Overview

Identification

ID NUMBER
ENN-2019

Version

VERSION DESCRIPTION
Enquête de 2019.

Overview

ABSTRACT

Les interventions de nutrition bénéficient du soutien de partenaires techniques et financiers de plus en plus nombreux et engagés. Cet intérêt croissant du gouvernement et de ses partenaires à renforcer les activités de nutrition au niveau des services de santé et à mettre en oeuvre des activités à base communautaire doit s'accompagner d'un système de surveillance nutritionnelle performant.

En vue d'harmoniser les sources de données sur la nutrition et de disposer d'une information simple, valide et fiable, la présente enquête nutritionnelle nationale a été entreprise. Elle vise à fournir des données actuelles sur la situation nutritionnelle dans les régions et provinces du pays.

Les objectifs principaux de cette enquête sont :

- d'évaluer la situation nutritionnelle des enfants âgés de 0 à 59 mois au

Burkina Faso ;

- d'assurer une meilleure surveillance nutritionnelle en effectuant des enquêtes nutritionnelles nationales régulières.

UNITS OF ANALYSIS
Enfant

TOPICS

Topic	Vocabulary	URI
Nutrition		
Morbidité		
Allaitement		

Coverage

GEOGRAPHIC COVERAGE
Cette enquête a couvert toutes les régions administratives du pays.

UNIVERSE
Enfant, parent, ménage

Producers and Sponsors

PRIMARY INVESTIGATOR(S)

Name	Affiliation
Direction de la Nutrition	Ministère de la Santé

OTHER PRODUCER(S)

Name	Affiliation	Role
Direction de la Nutrition	Ministère de la Santé	Producteur

Metadata Production

METADATA PRODUCED BY

Name	Abbreviation	Affiliation	Role
Direction de la Nutrition	DN	Ministère de la Santé	Producteur

DDI DOCUMENT ID
ENN-2019

Sampling

Sampling Procedure

Le nombre d'enfants à enquêter dans chaque strate a été calculé à l'aide du logiciel « ENA for Smart » version de Juillet 2015 en utilisant comme prévalence attendue les bornes supérieures des intervalles de confiance des prévalences de l'enquête nutritionnelle nationale de 2018. Une précision de 3 à 4 % en fonction de la prévalence de la strate et un effet grappe de 1.5 ont été retenus pour le calcul de la taille de l'échantillon en nombre d'enfants.

Au total le nombre d'enfants à enquêter était estimé à 24 518 au plan national.

Weighting

La répartition de l'échantillon parmi les strates étant non proportionnelle à celle de la population, des coefficients de pondération ont été utilisés pour obtenir les résultats pour les régions enquêtées au niveau provincial et pour l'ensemble du pays. Les probabilités de sondage ont été calculées pour chaque strate. Le taux d'inclusion a été pris en considération et le coefficient de pondération a été multiplié par l'inverse du taux d'inclusion. Les coefficients de pondération obtenus ont été standardisés en utilisant comme référence la moyenne des coefficients de toutes les grappes.

Questionnaires

No content available

Data Collection

Data Collection Mode

Plusieurs outils ont été utilisés pour la collecte des données sur le terrain (annexe 1). Il s'agissait de: - fiches d'énumération pour le dénombrement des ménages ; - questionnaires anthropométriques pour relever les données anthropométriques (poids, âge, sexe, périmètre brachial, oedèmes) et la morbidité chez les enfants ; questionnaires ANJE pour collecter les informations sur les pratiques d'alimentation chez les enfants de 0-23 mois ; - fiches de suivi du calibrage quotidien des balances ; fiches de résumé du jour ; - calendrier des événements (utilisé en absence de documents de référence pour déterminer l'âge des enfants).

Data Processing

No content available

Data Appraisal

No content available

Description du fichier

Liste des variables

BASE_SMART_2019

Content

Cases 22290

Variable(s) 70

Structure Type:
Keys: ()

Version

Producer

Missing Data

Variables

ID	NAME	LABEL	TYPE	FORMAT	QUESTION
V415	Region		discrete	character	
V416	Proince		discrete	character	
V417	Numenage		contin	numeric	
V418	Consentement		discrete	character	
V419	Numenfant		contin	numeric	
V420	Nomenfant		discrete	character	
V421	Sexe		discrete	character	
V422	Datenaissance		discrete	character	
V423	Agemois		discrete	character	
V424	Verification		discrete	character	
V425	Presence		discrete	character	
V426	Handicap		discrete	character	
V427	Poids		contin	numeric	
V428	Taille		contin	numeric	
V429	Position		discrete	character	
V430	PB		contin	numeric	
V431	Oedemes		discrete	character	
V432	Disponible		discrete	character	
V433	Diarrhee		discrete	character	
V434	Fievre		discrete	character	
V435	Vitaminea		discrete	character	
V436	Deparasitant		discrete	character	
V437	Instructionm		discrete	character	
V438	Taillem		contin	numeric	
V439	Observation		discrete	character	
V440	obser0		discrete	character	
V441	Enfant5ans		discrete	character	
V442	Nbenfant1		discrete	character	

V443	Nbenfant2	discrete	character
V444	Nomenfantanje	discrete	character
V445	Ageanje	discrete	character
V446	Sexeanje	discrete	character
V447	Numanje	contin	numeric
V448	Repondant	discrete	character
V449	BF1	discrete	character
V450	BF2	discrete	character
V451	BF3	discrete	character
V452	BF4	discrete	character
V453	BF4a	discrete	character
V454	BF4b	discrete	character
V455	BF4b1	discrete	character
V456	BF4c	discrete	character
V457	BF4c1	discrete	character
V458	BF4d	discrete	character
V459	BF4d1	discrete	character
V460	BF4e	discrete	character
V461	BF4f	discrete	character
V462	BF4g	discrete	character
V463	Bfautre	discrete	character
V464	BF6	discrete	character
V465	BF7	discrete	numeric
V466	BF7a	discrete	character
V467	BF7b	discrete	character
V468	BF7c	discrete	character
V469	BF7d	discrete	character
V470	BF7e	discrete	character
V471	BF7f	discrete	character
V472	BF7g	discrete	character
V473	BF7h	discrete	character
V474	BF7i	discrete	character
V475	BF7j	discrete	character
V476	BF7k	discrete	character
V477	BF7l	discrete	character
V478	BF7m	discrete	character
V479	BF7n	discrete	character
V480	BF7o	discrete	character
V481	BF7p	discrete	character
V482	BF7q	discrete	character
V483	BF7r	discrete	character

V484	Observation2	discrete	numeric
------	--------------	----------	---------

(Region)

File: BASE_SMART_2019

Overview

Type: Discrete
 Format: character
 Width: 42

Valid cases: 22290
 Invalid: 0

(Proince)

File: BASE_SMART_2019

Overview

Type: Discrete
 Format: character
 Width: 30

Valid cases: 22290
 Invalid: 0

(Numenage)

File: BASE_SMART_2019

Overview

Type: Continuous
 Format: numeric
 Width: 12
 Decimals: 0
 Range: 0-683

Valid cases: 22290
 Invalid: 0
 Minimum: 0
 Maximum: 683
 Mean: 99.6
 Standard deviation: 71.3

(Consentement)

File: BASE_SMART_2019

Overview

Type: Discrete
 Format: character
 Width: 12

Valid cases: 22290
 Invalid: 0

(Numenfant)

File: BASE_SMART_2019

Overview

Type: Continuous
 Format: numeric
 Width: 12
 Decimals: 0
 Range: 1-96

Valid cases: 22290
 Invalid: 0
 Minimum: 1
 Maximum: 96
 Mean: 2.3
 Standard deviation: 4

(Nomenfant)

File: BASE_SMART_2019

Overview

Type: Discrete
Format: character
Width: 102

Valid cases: 22290
Invalid: 0

(Sexe)

File: BASE_SMART_2019

Overview

Type: Discrete
Format: character
Width: 3

Valid cases: 22290
Invalid: 0

(Datenaissance)

File: BASE_SMART_2019

Overview

Type: Discrete
Format: character
Width: 11

Valid cases: 22290
Minimum: NaN
Maximum: NaN

(Agemois)

File: BASE_SMART_2019

Overview

Type: Discrete
Format: character
Width: 63

Valid cases: 22290
Invalid: 0

(Verification)

File: BASE_SMART_2019

Overview

Type: Discrete
Format: character
Width: 75

Valid cases: 22290
Invalid: 0

(Presence)

File: BASE_SMART_2019

Overview

Type: Discrete
Format: character
Width: 72

Valid cases: 22290
Invalid: 0

(Handicap)

File: BASE_SMART_2019

Overview

Type: Discrete
Format: character
Width: 9

Valid cases: 22125
Invalid: 0

(Poids)

File: BASE_SMART_2019

Overview

Type: Continuous
Format: numeric
Width: 12
Decimals: 0
Range: 0-24

Valid cases: 22071
Invalid: 219
Minimum: 0
Maximum: 24
Mean: 11
Standard deviation: 3.3

(Taille)

File: BASE_SMART_2019

Overview

Type: Continuous
Format: numeric
Width: 12
Decimals: 0
Range: 0-124

Valid cases: 22070
Invalid: 220
Minimum: 0
Maximum: 124
Mean: 83.9
Standard deviation: 13.4

(Position)

File: BASE_SMART_2019

Overview

Type: Discrete
Format: character
Width: 51

Valid cases: 22071
Invalid: 0

(PB)

File: BASE_SMART_2019

Overview

Type: Continuous
Format: numeric
Width: 12
Decimals: 0
Range: 0-227

Valid cases: 20049
Invalid: 2241
Minimum: 0
Maximum: 227
Mean: 147.1
Standard deviation: 12.1

(Oedemes)

File: BASE_SMART_2019

Overview

Type: Discrete
Format: character
Width: 9

Valid cases: 22066
Invalid: 0

(Disponible)

File: BASE_SMART_2019

Overview

Type: Discrete
 Format: character
 Width: 72

Valid cases: 22281
 Invalid: 0

(Diarrhee)

File: BASE_SMART_2019

Overview

Type: Discrete
 Format: character
 Width: 9

Valid cases: 22122
 Invalid: 0

(Fievre)

File: BASE_SMART_2019

Overview

Type: Discrete
 Format: character
 Width: 9

Valid cases: 22122
 Invalid: 0

(Vitaminea)

File: BASE_SMART_2019

Overview

Type: Discrete
 Format: character
 Width: 33

Valid cases: 20005
 Invalid: 0

(Deparasitant)

File: BASE_SMART_2019

Overview

Type: Discrete
 Format: character
 Width: 33

Valid cases: 17750
 Invalid: 0

(Instructionm)

File: BASE_SMART_2019

Overview

Type: Discrete
 Format: character
 Width: 33

Valid cases: 22134
 Invalid: 0

(Taillem)

File: BASE_SMART_2019

Overview

Type: Continuous	Valid cases: 22133
Format: numeric	Invalid: 157
Width: 12	Minimum: 0
Decimals: 0	Maximum: 157
Range: 0-157	Mean: 7.1
	Standard deviation: 5.1

(Observation)

File: BASE_SMART_2019

Overview

Type: Discrete	Valid cases: 5031
Format: character	
Width: 255	

(obser0)

File: BASE_SMART_2019

Overview

Type: Discrete	Valid cases: 0
Format: character	Invalid: 0
Width: 243	

(Enfant5ans)

File: BASE_SMART_2019

Overview

Type: Discrete	Valid cases: 22264
Format: character	Invalid: 0
Width: 3	

(Nbenfant1)

File: BASE_SMART_2019

Overview

Type: Discrete	Valid cases: 22264
Format: character	Invalid: 0
Width: 3	

(Nbenfant2)

File: BASE_SMART_2019

Overview

Type: Discrete	Valid cases: 22264
Format: character	Invalid: 0
Width: 6	

(Nomenfantanje)

File: BASE_SMART_2019

Overview

Type: Discrete
 Format: character
 Width: 102

Valid cases: 8214
 Invalid: 0

(Ageanje)

File: BASE_SMART_2019

Overview

Type: Discrete
 Format: character
 Width: 57

Valid cases: 8204
 Invalid: 0

(Sexeanje)

File: BASE_SMART_2019

Overview

Type: Discrete
 Format: character
 Width: 27

Valid cases: 8213
 Invalid: 0

(Numanje)

File: BASE_SMART_2019

Overview

Type: Continuous
 Format: numeric
 Width: 12
 Decimals: 0
 Range: 0-55

Valid cases: 8134
 Invalid: 14156
 Minimum: 0
 Maximum: 55
 Mean: 2
 Standard deviation: 3.5

(Repondant)

File: BASE_SMART_2019

Overview

Type: Discrete
 Format: character
 Width: 51

Valid cases: 8134
 Invalid: 0

(BF1)

File: BASE_SMART_2019

Overview

Type: Discrete
 Format: character
 Width: 33

Valid cases: 8135
 Invalid: 0

(BF2)

File: BASE_SMART_2019

Overview

Type: Discrete
 Format: character
 Width: 51

Valid cases: 8089
 Invalid: 0

(BF3)

File: BASE_SMART_2019

Overview

Type: Discrete
 Format: character
 Width: 33

Valid cases: 8089
 Invalid: 0

(BF4)

File: BASE_SMART_2019

Overview

Type: Discrete
 Format: character
 Width: 33

Valid cases: 8089
 Invalid: 0

(BF4a)

File: BASE_SMART_2019

Overview

Type: Discrete
 Format: character
 Width: 33

Valid cases: 8134
 Invalid: 0

(BF4b)

File: BASE_SMART_2019

Overview

Type: Discrete
 Format: character
 Width: 33

Valid cases: 8133
 Invalid: 0

(BF4b1)

File: BASE_SMART_2019

Overview

Type: Discrete
 Format: character
 Width: 9

Valid cases: 10
 Invalid: 0

(BF4c)

File: BASE_SMART_2019

Overview

Type: Discrete
 Format: character
 Width: 33

Valid cases: 8134
 Invalid: 0

(BF4c1)

File: BASE_SMART_2019

Overview

Type: Discrete
 Format: character
 Width: 9

Valid cases: 10
 Invalid: 0

(BF4d)

File: BASE_SMART_2019

Overview

Type: Discrete
 Format: character
 Width: 33

Valid cases: 8134
 Invalid: 0

(BF4d1)

File: BASE_SMART_2019

Overview

Type: Discrete
 Format: character
 Width: 9

Valid cases: 9
 Invalid: 0

(BF4e)

File: BASE_SMART_2019

Overview

Type: Discrete
 Format: character
 Width: 33

Valid cases: 8134
 Invalid: 0

(BF4f)

File: BASE_SMART_2019

Overview

Type: Discrete
 Format: character
 Width: 33

Valid cases: 8134
 Invalid: 0

(BF4g)

File: BASE_SMART_2019

Overview

Type: Discrete
 Format: character
 Width: 33

Valid cases: 8133
 Invalid: 0

(Bfautre)

File: BASE_SMART_2019

Overview

Type: Discrete
 Format: character
 Width: 132

Valid cases: 240
 Invalid: 0

(BF6)

File: BASE_SMART_2019

Overview

Type: Discrete
 Format: character
 Width: 33

Valid cases: 8134
 Invalid: 0

(BF7)

File: BASE_SMART_2019

Overview

Type: Discrete
 Format: numeric
 Width: 12
 Decimals: 0
 Range: 0-7

Valid cases: 5601
 Invalid: 16689

(BF7a)

File: BASE_SMART_2019

Overview

Type: Discrete
 Format: character
 Width: 33

Valid cases: 8133
 Invalid: 0

(BF7b)

File: BASE_SMART_2019

Overview

Type: Discrete
 Format: character
 Width: 33

Valid cases: 8134
 Invalid: 0

(BF7c)

File: BASE_SMART_2019

Overview

Type: Discrete
 Format: character
 Width: 33

Valid cases: 8134
 Invalid: 0

(BF7d)

File: BASE_SMART_2019

Overview

Type: Discrete
 Format: character
 Width: 33

Valid cases: 8134
 Invalid: 0

(BF7e)

File: BASE_SMART_2019

Overview

Type: Discrete
 Format: character
 Width: 33

Valid cases: 8134
 Invalid: 0

(BF7f)

File: BASE_SMART_2019

Overview

Type: Discrete
 Format: character
 Width: 33

Valid cases: 8134
 Invalid: 0

(BF7g)

File: BASE_SMART_2019

Overview

Type: Discrete
 Format: character
 Width: 33

Valid cases: 8134
 Invalid: 0

(BF7h)

File: BASE_SMART_2019

Overview

Type: Discrete
 Format: character
 Width: 33

Valid cases: 8134
 Invalid: 0

(BF7i)

File: BASE_SMART_2019

Overview

Type: Discrete
 Format: character
 Width: 33

Valid cases: 8134
 Invalid: 0

(BF7j)

File: BASE_SMART_2019

Overview

Type: Discrete
 Format: character
 Width: 33

Valid cases: 8134
 Invalid: 0

(BF7k)

File: BASE_SMART_2019

Overview

Type: Discrete
 Format: character
 Width: 33

Valid cases: 8134
 Invalid: 0

(BF7l)

File: BASE_SMART_2019

Overview

Type: Discrete
 Format: character
 Width: 33

Valid cases: 8134
 Invalid: 0

(BF7m)

File: BASE_SMART_2019

Overview

Type: Discrete
 Format: character
 Width: 33

Valid cases: 8134
 Invalid: 0

(BF7n)

File: BASE_SMART_2019

Overview

Type: Discrete
 Format: character
 Width: 33

Valid cases: 8134
 Invalid: 0

(BF7o)

File: BASE_SMART_2019

Overview

Type: Discrete
 Format: character
 Width: 33

Valid cases: 8134
 Invalid: 0

(BF7p)

File: BASE_SMART_2019

Overview

Type: Discrete
 Format: character
 Width: 33

Valid cases: 8134
 Invalid: 0

(BF7q)

File: BASE_SMART_2019

Overview

Type: Discrete
 Format: character
 Width: 33

Valid cases: 8134
 Invalid: 0

(BF7r)

File: BASE_SMART_2019

Overview

Type: Discrete
 Format: character
 Width: 33

Valid cases: 8117
 Invalid: 0

(Observation2)

File: BASE_SMART_2019

Overview

Type: Discrete
 Format: numeric
 Width: 12
 Decimals: 0
 Range: 0-2

Valid cases: 13486
 Invalid: 8804

Documentation de l'étude

Rapports

Rapport SMART_2019-Final.pdf

Titre Rapport SMART_2019-Final.pdf

Nom du fichier Rapport SMART_2019-Final.pdf
